



Ultra Strip 722 EFP

Item Series # 4450-53

U.S. Department Of Labor
Occupational Safety And Health Administration

MATERIAL SAFETY DATA SHEET

Required Under USDL Safety And Health Regulations
(29 CFR 1910.1200 "Hazards Communication Standard")

Section I – Product Identification

Manufactured For: Gabriel First Corp.
Emergency Phone: 1-800-424-9300
Address: 233 W. Commercial Street, East Rochester, NY 14445
Product Name: Ultra Strip 722 EFP Green Finish Liquefier
Product Type: Environmentally Responsible Alkaline Stripper
Chemical Family: Surfactant Blend
Prepared On: 08/26/13

DOT Classification: None
DOT Shipping Name: None

HEALTH	FLAMMABILITY	HMIS RATING	REACTIVITY	PROTECTION
2	0		0	B

Section II – Product & Component Data

CHEMICAL NAMES	CAS NO.	% / WT.	THRESHOLD LIMIT VALUE
Ethylene Glycol Phenyl Ether	122-99-6	To 6	N/A
Monoethanolamine	141-43-5	To 5	N/A
Sodium Octane Sulfonate	5324-84-5	To 5	N/A
Propylene Glycol n – Butyl Ether	5131-66-8	To 2	N/A
Water	7732-18-5	To 82	None

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372:

Section III – Physical Data

Boiling Range (F): 212–220° F Vapor Pressure: N/D % Volatile: 90+ Solubility in Water: Complete Physical Description: Clear Liquid, Mild Odor	Specific Gravity: 1.02 Vapor Density: Same as Water pH: 11 Evaporation Rate: N/A
--	---

Section IV – Fire and Explosion Hazard Data

Flash Point: Exceeds 200° F Flammability: Non-flammable Extinguishing Media: Water, CO2	Special Fire Fighting Procedures: Floor may be slippery. Unusual and Explosion Hazards: None.
--	--

Section V – Health Hazard Data

EFFECTS OF OVEREXPOSURE: Eyes: May cause severe irritation. Skin: May cause severe irritation. Inhalation: May cause irritation to the upper tract. Ingestion: May cause irritation of mucous membranes. Exposure Limits: N/E Carcinogenicity: NTP: Not listed. IARC: Not listed. OSHA: Not regulated. Medical Conditions Aggravated By Exposure: Person with present skin disorder may be more susceptible to irritation.	EMERGENCY FIRST AID PROCEDURES: Eyes: Flush with running water for 15 minutes. Skin: Wash off with soap and water. Inhalation: Remove to fresh air. Ingestion: Do NOT induce vomiting. Drink plenty of water. If unconscious or in convulsion, take to hospital or physician.
---	--

Section VI – Reactivity Data**Stability:** Stable**Hazardous Decomposition Products:**
Normal products of combustion.**Hazardous Polymerization:** Will not occur.**Incompatibility (Materials To Avoid):**
Strong acids and oxidizers.**Section VII – Spill or Leak Procedures****Steps To Be Taken In Case Material Is Released Or Spilled:**
Dike and contain spill, absorb the liquid.**Waste Disposal Method:**
Scoop or shovel solid material into a suitable container for recovery or disposal. Area may become slippery. Flush cleaned area with water. Dispose of according to local, state and federal requirements.**Section VIII – Special Protection Information****Respiratory Protection (Type):** No special requirements.
Ventilation: Good ventilation required.**Protective Gloves:** Chemical resistant.
Eye Protection: Goggles or Face Shield.**Section IX – Special Precautions****Precautions To Be Taken In Handling And Storing:**Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a cool place.
Avoid freezing.