

Ultra Gloss 733 EFP Item Series No. 4450-51

SAFETY DATA SHEET

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 04/15/2015

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 – Product Identifier

Product Form: Mixture Product Name: Ultra Gloss-733 EFP Product Code: 4450-51

1.2 – Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture: Sealer/Finish

1.3 – Details of the Supplier of the Safety Data Sheet

| Sold By: | Gabriel First Corp. |
|------------|--------------------------|
| Address: | 233 W. Commercial Street |
| | East Rochester, NY 14445 |
| Telephone: | 585-381-7000 |

1.4 – Emergency Telephone Number

Emergency Number: 800-424-9300

Section 2 – Hazards Identification

2.1 – Classification of the Substance or Mixture

Classification (GHS-US) Not classified.

2.2 – Label Elements

GHS-US Labeling: No labeling applicable.

2.3 – Other Hazards

No additional information available.

2.4 – Unknown Acute Toxicity (GHS-US)

Not applicable.

Section 3 – Composition/Information on Ingredient

3.1 – Substance

Not applicable.

3.2 – Mixture

| Name | Product Identifier | % | Classification (GHS-US) |
|-----------------------------------|--------------------|-------|-------------------------|
| Diethylene Glycol Monoethyl Ether | (CAS No) 111-90-0 | 1 - 5 | Eye Irrit. 2A, H319 |

Full text of H-phrases: see Section 16.

Section 4 – First Aid Measures

4.1 – Description of First Aid Measures

| First Aid Measures General: | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
|--|---|
| First Aid Measures After Inhalation: | Allow victim to breathe fresh air. Allow the victim to rest. |
| First Aid Measures After Skin Contact: | Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First Aid Measures After Eye Contact: | Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. |
| First Aid Measures After Ingestion: | Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |



Ultra Gloss 733 EFP Item Series No. 4450-51

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2 – Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms/Injuries:

4.3 – Indication of Any Immediate Medical Attention and Special Treatment Needed

No additional information available.

Section 5 – Firefighting Measures

5.1 – Extinguishing Media

Suitable Extinguishing Media: Unsuitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream.

5.2 – Special Hazards Arising From the Substance or Mixture

No additional information available.

Protection During Firefighting:

5.3 – Advice for Firefighters

Firefighting Instructions:

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection.

Not expected to present a significant hazard under anticipated conditions of normal use.

Section 6 – Accidental Release Measures

6.1 – Personal Precautions, Protective Equipment and Emergency Procedures

| 6.1.1: For Non-Emergency Personnel Emergency Procedures: | Evacuate unnecessary personnel. |
|---|--|
| 6.1.2: For Emergency Responders Protective Equipment: | Equip cleanup crew with proper protection. |
| Emergency Procedures: | Ventilate area. |

6.2 – Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3 – Methods and Material for Containment and Cleaning Up

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4 – Reference to Other Sections

Methods for Cleaning Up:

See Heading 8. Exposure controls and personal protection.

Section 7 – Handling and Storage

7.1 – Precautions for Safe Handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2 – Conditions for Safe Storage, Including any Incompatibilities

 Storage Conditions:
 Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.

Incompatible Products: Incompatible Materials: Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3 – Specific End Use(s)

Precautions for Safe Handling:

No additional information available.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 8 – Exposure Controls/Personal Protection

8.1 – Control Parameters

| Ultra Gloss 733 EFP | |
|--|-----------------------------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |
| Diethylene Glycol Monoethyl Ether (111-90-0) | |
| Diethylene Glycol Monoethyl E | ther (111-90-0) |
| Diethylene Glycol Monoethyl E ACGIH | ther (111-90-0) Not applicable |

8.2 – Exposure Controls

| Personal Protective Equipment: | Avoid all unnecessary exposure. |
|--------------------------------|--|
| Hand Protection: | Wear protective gloves/eye protection/face protection. |
| Eye Protection: | Chemical goggles or safety glasses. |
| Respiratory Protection: | Wear appropriate mask. |
| Other Information: | Do not eat, drink or smoke during use. |
| | |

Section 9 – Physical and Chemical Properties

9.1 – Information on Basic Physical and Chemical Properties

| , , | · · · · · · · · · · · · · · · · · · · |
|---|---|
| Physical State: | Liquid |
| Color: | Clear |
| Odor: | Acrylic |
| Odor Threshold: | No data available |
| ph: | 8 - 8.5 |
| Melting Point: | No data available |
| Freezing Point: | No data available |
| Boiling Point: | 212 - 220 °F |
| Flash Point: | No data available |
| Relative Evaporation Rate (Butyl Acetate=1) : | No data available |
| Flammability (Solid, Gas) : | No data available |
| Explosion Limits: | No data available |
| Explosive Properties: | No data available |
| Oxidizing Properties: | No data available |
| Vapor Pressure: | No data available |
| Relative Density: | 1.03 |
| Relative Vapor Density at 20 °C: | Same as water |
| Solubility: | Soluble in water. Water: Solubility in water of component(s) of the mixture : •: 71 g/100ml •: •: •: 0.1 g/100ml •: 112 g/100ml |
| Log Pow: | No data available |
| Log Kow: | No data available |
| Auto-ignition Temperature: | No data available |
| Decomposition Temperature: | No data available |
| Viscosity: | No data available |
| Viscosity, Kinematic: | No data available |
| Viscosity, Dynamic: | No data available |
| | |

9.2 – Other Information No additional information available.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 10 – Stability and Reactivity

10.1 – Reactivity

No additional information available.

10.2 – Chemical Stability

Stable under normal conditions. Not established.

10.3 – Possibility of Hazardous Reactions

Not established.

10.4 – Conditions to Avoid

Direct sunlight. Extremely high or low temperatures.

10.5 – Incompatible Materials

Strong acids. Strong bases.

10.6 – Hazardous Decomposition Products

Fume. Carbon monoxide. Carbon dioxide.

Section 11 – Toxicological Information

11.1 – Information on Toxicological Effects

Acute Toxicity: Not classified

| Diethylene Glycol Monoethyl Ether (111-90-0) | |
|--|---|
| LD50 oral rat | 5445 mg/kg (Rat) |
| LD50 dermal rat | 5940 mg/kg (Rat) |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit) |
| LC50 inhalation rat (mg/l) | > 5.2 mg/l/4h (Rat) |
| ATE US (oral) | 5445.000 mg/kg body weight |
| ATE US (dermal) | 5940.000 mg/kg body weight |
| Skin Corrosion/Irritation: | Not classified pH: 8 - 8.5 |
| Serious Eye Damage/Irritation: | Not classified pH: 8 - 8.5 |
| Respiratory or Skin Sensitization: | Not classified |
| Germ Cell Mutagenicity: | Not classified |
| Carcinogenicity: | Not classified |
| Reproductive Toxicity: | Not classified |
| Specific Target Organ Toxicity: (single exposure) | Not classified |
| Specific Target Organ Toxicity: (repeated exposure) | Not classified |
| Aspiration Hazard: | Not classified |
| Potential Adverse Human Health | Based on available data, the classification criteria are not met. |

Section 12 – Ecological Information

12.1 - Toxicity

Effects and Symptoms:

| Diethylene Glycol Monoethyl Ether (111-90-0) | |
|--|---|
| LC50 fish 1 | 12900 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Flow-through system) |
| EC50 Daphnia 1 | 3940 mg/l (48 h; Daphnia magna) |
| EC50 other aquatic organisms 1 | 10661 mg/l (Echinoidea; Growth) |
| LC50 fish 2 | 9650 mg/l (96 h; Pimephales promelas; Flow-through system) |



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2 – Persistence and Degradability

| Ultra Gloss 733 EFP | |
|--|---|
| Persistence and degradability | Not established. |
| Diethylene Glycol Monoethyl Ether (111-90-0) | |
| Persistence and degradability | Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0.20 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1.85 g O ₂ /g substance |
| ThOD | 1.9078849 g O ₂ /g substance |
| BOD (% of ThOD) | 0.11 % ThOD |

12.3 – Bioaccumulative Potential

| Ultra Gloss 733 EFP | |
|--|----------------------------------|
| Bioaccumulative Potential | Not established. |
| Diethylene Glycol Monoethyl Ether (111-90-0) | |
| Log Pow | -1.190.08 |
| Bioaccumulative potential | Bioaccumulation: not applicable. |

12.4 – Mobility in Soil

| Diethylene Glycol Monoethyl Ether (111-90-0) | |
|--|-------------------|
| Surface tension | 0.032 N/m (25 °C) |

12.5 – Other Adverse Effects

Effect on the Global Warming: Other Information: No known ecological damage caused by this product. Avoid release to the environment.

Section 13 – Disposal Considerations

13.1 – Waste Treatment Methods

Waste Disposal Recommendations: Ecology - Waste Materials: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Section 14 – Transport Information

| Department of Transportation (DOT) In Accordance With DOT: | Not regulated for transport |
|---|---|
| Additional Information Other Information: | No supplementary information available. |
| ADR: | No additional information available |
| Transport By Sea: | No additional information available |
| Air Transport: | No additional information available |

Section 15 – Regulatory Information

15.1 – US Federal Regulations

Ultra Gloss 733 EFP

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Diethylene Glycol Monoethyl Ether (111-90-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2 – International Regulations

CANADA No additional information available.

EU-Regulations No additional information available.

Classification According to Regulation (EC) No. 1272/2008 [CLP] No additional information available.

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National Regulations No additional information available.

15.3 – US State Regulations

No additional information available.

Section 16 – Other Information

| Revision Date: | |
|--------------------|--|
| Other Information: | |

04/15/2015 None.

Full Text of H-phrases:

| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
|---------------|---|
| H319 | Causes serious eye irritation |

Health: Flammability:

Physical:

1 - Slight Hazard - Irritation or minor reversible injury possible

0 - Minimal Hazard - Materials that will not burn

0 - Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

В

B – Safety glasses, Gloves

SDS US (GHS HazCom 2012)

Personal Protection:

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.